



T 15/1

We are updating our existing, commercial range of dry vacuum cleaners with the T 15/1 dry vacuum cleaner and once again occupying this important market segment with a superb top-class model.







Order no.

1.355-200.0

- Integrated accessory storage
- Integrated power cable/suction hose storage

Flexible cable

Technical data 4039784723436 EAN code Supply voltage V / Hz 220 - 240 / 50 - 60 mbar / kPa 220 / 22 Vacuum Air flow l/s 43 **Rated performance** w 700 15 **Container content** L **Container material** Plastic Standard nominal width ID 35 **Cable length** m 15 dB(A) 60 Sound pressure level Colour anthracite Weight without accessories kg 7.1 Weight incl. packaging kg 11.4 434 × 316 × 400 Dimensions (L × W × H) mm

Equipment		
Container material		Plastic
Integrated power cable organiser		•
Cable hook		
Pluggable power cable		Flexible
Integrated accessory storage		
Suction hose	m	2
Bend		Antistatic, with air-flow regulator
Telescopic suction tube	mm	615 - 1007
Telescopic suction tube, material		Steel, chromed
Switchable floor nozzle		-
Upholstery nozzle		
Crevice nozzle		
Suction brush		
Filter bag	Piece(s)	1 / Fleece
Motor protection filters		
Permanent filter basket		Fleece
-		

Included in the scope of supply.

⑧ w w w . f a m c o c o r p . c o m 回 E-mail: info@famcocorp.com

@famco_group

🚺 Tel:071- ۴ ۸ 0 0 0 ۴ ۹

Fax:01 - ۴۴۹۹۴۶۴۲

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج)



KARCHER





Flexible cable

- Particularly flexible, sturdy, long-lasting Glideflex power cable.
- It can be wound around the top of the machine or stored on the cable hook.



Integrated accessory storage

 The full integration of the accessories on the rear enables the user to quickly access them in any cleaning situation.



Operation using foot switch

• No tedious bending down during everyday work.



Tel:01- ۴ Λ 0 0 0 6 9

🕞 Fax:0४1 – ۴۴۹۹۴۶۴४

تهران، کیلومتر۲۱ بزرگراه لشگری (جاده مخصوص کرج)





ACCESSORIES FOR T 15/1

1.355-200.0

HEPA 13 filter, packaged

Bend with air-flow regulator, T. DN 35, plastic,

Switchable floor nozzle, DN 35, 280 mm wide

Dry vacuum cleaner floor nozzle, DN 35, width

Crevice nozzle, DN 35, plastic, length 210 mm

290 mm, for textile floors and hard floors

antistatic, clip 2.0 at hose end, cone at

Parquet nozzle, DN 35, 360 mm

Parquet nozzle, DN 35, width 300 mm

Fabric filter bag

accessory end
SUCTION NOZZLES
Floor nozzles

Crevice nozzles

Upholstery nozzles Upholstery nozzle DN 35

Suction brushes Suction brush

BENDS Bend, plastic

2	3			
	1	0		
		Order no.	Description	
FILTER T/ NT				
Main filter baskets				
Permanent main filter basket, T 12/1, T 15/1, T 17/1	1	4.731-011.0	Plastic frames with reinforced fleece material, washably to 40°C.	
Exhaust air filter				
Motor protection filter, 1 Piece(s), T 9/1 Bp, T 7, T 8, T 10, T 11, T 12, T 15	2	6.414-022.0	Motor protection filter, removable fleece, which can be replaced when heavily soiled.	
Motor protection filter, 3 Piece(s), BV 5/1, T 7, T 8, T 9, T 10, T 11, T 12, T 15	3	2.889-119.0		
Standard exhaust air filter, 3 Piece(s), BV 5/1, BV 5/1 Bp, T 12, T 15, T 17	4	6.414-802.0	Standard exhaust filter and diffusor for reducing filtered air. Made of foam.	
HEPA Filter				

6 6.904-316.0

2.889-148.0

2.889-196.0

2.889-197.0

2.889-360.0

12 2.889-130.0

6.905-998.0

14 6.900-697.0

7

9

10

11

13

40 °C.

8 2.889-129.0 Plastic floor nozzle, ID 35 and switchable.

thoroughly, Length: 210 mm.

Parquet nozzle with wide working width

5 6.414-080.0 HEPA 13 filter with 99.95% separation degree certified according to test standard DIN EN 1822:2019. For increasing the filter capacity and improving the blower air.

cleaning of smooth floors with dry vacuum cleaners from Kärcher.

furniture such as sofas, armchairs, upholstered chairs and beds.

and hard floors with dry vacuum cleaners from Kärcher. Width: 290 mm.

The fabric filter bag for Kärcher dry vacuum cleaners is made of cotton and can be washed at up to \Box

Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners.

Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.

Parquet nozzle with large working width (300 mm) in nominal width DN 35, suitable for thorough

High-quality and versatile floor nozzle in DN 35. With practical parking hook for cleaning textile

Handy plastic upholstery nozzle in nominal width DN 35. Ideal for gentle cleaning of upholstered

With the DN 35 plastic crevice nozzle, corners and crevices can be vacuumed quickly and

Oval and rotatable suction brush (DN 35) with flexible plastic bristles for deep cleaning.

■ Included in the scope of supply. □ Available accessories.

🛞 w w w . f a m c o c o r p . c o m

E-mail: info@famcocorp.com
@famco_group

🚺 Tel:071- ۴ Л о о о о ۴ ۹

🗊 Fax:•۲۱ - ۴۴۹۹۴۶۴۲

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج)





ACCESSORIES FOR T 15/1

1.355-200.0

$ \begin{array}{c} \hline \\ 22 \\ 22 \\ 23 \\ 24 \\ 25 \\ 26 \\ 26 \\ 27 \\ 28 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 27 \\ 28 \\ 28 \\ 27 \\ 28 \\ 28 \\ 28 \\ 27 \\ 28 \\ 28 \\ 28 \\ 28 \\ 27 \\ 28 \\ 28 \\ 28 \\ 28 \\ 28 \\ 28 \\ 28 \\ 28$	15	16	17	18	19	20	21
	22	23	24 () () () () () () () () () ()	25	26	27-28	

		Order no.	der no. Description		
SUCTION NOZZLES					
Electric brushes					
ESB 28 electric suction brush	15	2.641-815.0	Electrical suction brush for dry vacuum cleaners with suction hose, cable and telescopic suction tube. For considerably better dirt pick-up from textile floor coverings. Also for elastic and hard areas.		
Turbo nozzles	1				
Turbo upholstery nozzle	16	2.860-113.0	Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.		
Turbo floor nozzle	17	2.860-114.0	Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.		
SUCTION TUBES	-				
Suction tubes, metal					
Telescopic suction tube, DN 35, 615 - 1007 mm long, chrome-plated steel, suitable for: BV 5/1 Bp, T 9/1 Bp, BV 5/1, T 7/1, T 10/1, T 12/1, T 15/1, NT 30/1, Nt 40/1, NT 50/1NT 65/2		2.862-008.0	Practical telescopic suction tube made of chrome-plated steel for Kärcher dry vacuum cleaners, nominal width DN 35 and 615-1007 mm long.		
SUCTION HOSES					
Suction hoses with clip system 2.0 (compatible	e with	vacuum cleane	ers from model year 2017 on)		
Suction hose, T, DN 35, length 2 m, Clip 2.0, click fastener	19	2.889-161.0	The suction hose in nominal width DN 35 and with 2 m length is suitable for use with dry vacuum cleaners from Kärcher.		
Extension hose, T and NT, DN 35, length 2.5 m electrically conductive, clip 2.0, connecting adapter	, 20	2.889-343.0	The electrically conductive extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.		
Hose connection					
Adapter, ID 32/35, with internal thread	21	6.902-077.0	Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.		
NOZZLE KITS					
Nozzle kit:crevice nozzle, upholstery nozzle, suction brush, ID 35	22	2.860-116.0	Nozzle kit consisting of a crevice nozzle, upholstery nozzle and suction brush. The nozzle kit is suitable for all Kärcher dry vacuum cleaners and wet and dry vacuum cleaners in nominal width DN 35.		
OTHER ACCESSORIES NT					
Adapter clip new on clip old DN 35	23	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.		
FURTHER ACCESSORIES DRY VACUUM CLEANE	RS				
Repair set Kaercher NW35	24	2.639-329.0	Repair kit for dry vacuum cleaner accessories in DN 35. The kit includes a threaded and clamping ring, a connecting adapter, as well as a seal.		
Surface nozzle DN 35 for hard surfaces and carpeted areas	25	2.889-361.0	Innovative surface nozzle with nominal width DN 35 for dry vacuum cleaners from Kärcher. The nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm.		
FILTER BAGS					
Fleece filter bags					
Fleece filter bags, 10 Piece(s), T 15/1, T 17/1	26	6.907-017.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 10-pack.		
Paper filter bags					
Paper filter bags, 200 Piece(s), T 15/1, T 17/1	27	6.907-016.0	Premium paper filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 200-pack.		
Paper filter bags, 10 Piece(s), T 15/1, T 17/1	28	6.907-019.0	Premium paper filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 10-pack.		

■ Included in the scope of supply. □ Available accessories.

⊗ w w w . f a m c o c o r p . c o m
E-mail: info@famcocorp.com

@famco_group

🚺 Tel:071- ۴ Л о о о о ۴ ۹

Fax:01 - ۴۴۹۹۴۶۴۲

تهران، کیلومتر۲۱ بزرگراه لشگری (جاده مخصوص کرج)

روبروی پالایشگاه نفت پارس، پلاک ۱۲





ACCESSORIES FOR T 15/1 1.355-200.0



		Order no.	Description			
CONNECTING SLEEVES						
Expansion pieces (tube -> nozzle)						
Adapter	29	6.902-083.0	From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners.			
Reducing sleeves						
Reducer from ID 35 to ID 32	30	6.902-072.0	Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.			
Reduction/expansion adapter kit						
Set of reducers / adapter sleeves	31	2.860-117.0	DN 40/35, DN 35/32 (tube -> nozzle), plastic.			

■ Included in the scope of supply. □ Available accessories.

w w w . f a m c o c o r p . c o m
 E-mail: info@famcocorp.com
 @famco_group



Fax:01 - ۴۴۹۹۴۶۴۲

تهران، کیلومتر۲۱ بزرگراه لشگری (جاده مخصوص کرج)