

FINNISH SAUNA PERFECTION

The Finnish sauna is a vital part of every day, a chance for families and friends to gather and unwind. Helo was founded in 1919 so with over 100 years of expertise the brand brings health and well-being to people all over the world through innovative technique and design.

Heló was the first manufacturer of electric sauna heaters – a revolution in the market by making it possible to install saunas in any home.

A Heló sauna product elevates the daily sauna experience by adding beautiful design and expert functionality.



HELO-WT

Water Technology...Experience Sauna Reinvented

FAMCO
هایپر صنعت

SIMPLICITY IS A GOOD THING

We have trail-blazed the sauna industry for almost one hundred years. We now introduce the only multilayered sauna experience on the market. A new dimension in modern sauna solutions. And it is handmade in Finland, as usual.



A SAUNA THAT CHANGES WITH YOU

The new Helo-WT-ready sauna provides a multidimensional experience of pleasure and relaxation in true Helo fashion. A multitude of sauna experiences in one single and ingenious sauna solution.

ONE HEATER. MULTIPLE SENSATIONS

Indulge in a multi-layered sauna experience. Enjoy your favorite sauna alone or share different experiences with others. With a Helo-WT-ready sauna heater it is all possible. The flexibility of Helo-WT opens up a number of opportunities for pleasurable sauna experiences that you can all enjoy.



TWO SAUNA TYPES FROM ONE HEATER.

Flexi-Sauna

Fill WT water container and set temperature to:

140-175 ° F

- More humidity
- Lower temperature
- A gentle sauna experience
- Bio-aroma available

Hot & Dry Sauna

Use WT without water and set temperature to:

175-190 ° F

- High Temperature
- Low humidity
- Intense sauna sensation



PICCOLO
WT Standard



HIMALAYA
WT Standard



FONDA PURE
WT Standard



LAAVA & MAGMA
WT Optional: auto-fill or manual fill



www.famcocorp.com
E-mail: info@famcocorp.com
@famco_group



Tel: ۰۲۱-۴۸۰۰۰۰۴۹
Fax: ۰۲۱-۴۴۹۹۴۶۴۲



تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج)
روبروی پالایشگاه نفت پارس، پلاک ۱۲



Piccolo Heater



Flat wall mount



Wall-mounted rock tower heater, with 50# of rocks for smaller saunas up to 175 cubic feet. Corner mount or flat wall mount. Match with Pure 2.0 control. Helo-WT OnBoard.

PICCOLO HEATER	Piccolo 2.1	Piccolo 3.5
Sauna size (Cu. Ft.)	70-120	100-175
Heating power (kW)	2.1	3.5
Vulcanite rocks (lbs)	50	50
Amps / Voltage / Phase	17.5 / 120 / 1	14.6 / 240 / 1
Shipping weight	24	24
Dim. (inch) (WxHxD)	11x31x9-1/2	11x31x9-1/2
Control Unit	Pure 2.0	Pure 2.0

Corner Mount

Flat Wall Mount

Himalaya Heater



Floor-standing rock tower heater, with 210# of rocks. Available with optional glass ring surround for through-bench installations. Helo-WT OnBoard. Match with SL2, Elite Cloud, or Pure 2.0 controls.

HIMALAYA HEATER	Himalaya 7	Himalaya 9
Sauna size (Cu. Ft.)	175-350	310-500
Heating power (kW)	6.8	9.0
Vulcanite rocks (lbs)	210	210
Amps / Voltage / Phase	28.3 / 240 / 1	37.5 / 240 / 1
Amp / Voltage / Phase	18.9 / 208 / 3	25.0 / 208 / 3
Shipping weight	16	16
Dim. (inch) (WxHxD)	12x40-1/2x15	12x40-1/2x15
Control Unit	SL2, Elite Cloud, Pure 2.0	SL2, Elite Cloud, Pure 2.0

Fonda Heater



(Shown with Optional Floor Stand)

The Fonda is matched with Helo's exclusive SL2 or Pure 2.0 Touch Control. Helo-WT OnBoard. Wall mounted.

FONDA	Fonda 45	Fonda 60	Fonda 80	Fonda 80
Sauna size (Cu. Ft.)	100 - 210	175 - 310	250 - 425	250 - 425
Heating power (kW)	4.5	6.0	8.0	8.0
Vulcanite rocks (lbs)	50	50	50	50
Amps / Voltage / Phase	18.8 / 240 / 1	25.0 / 240 / 1	33.3 / 240 / 1	22.2 / 208 / 3
Shipping weight	35	36	37	37
Dim. (inch) (WxHxD)	17 1/2 x 25 5/8 x 12	17 1/2 x 25 5/8 x 12	17 1/2 x 25 5/8 x 12	17 1/2 x 25 5/8 x 12
Control unit	SL2, Pure 2.0	SL2, Pure 2.0	SL2, Pure 2.0	SL2, Pure 2.0
Extra features	Optional Floor Stand			

Laava Heater



Designed for large commercial size sauna rooms: Use with separate control panels. Helo WT optional: auto-fill or manual-fill. Floor standing.

LAAVA HEATER	Laava 105	Laava 120	Laava 140	Laava 105/3	Laava 120/3	Laava 140/3
Sauna size (Cu. Ft.)	390 - 600	510 - 740	630 - 950	390 - 600	510 - 740	630 - 950
Heating power (kW)	10.5	12.0	14.4	10.5	12.0	14.4
Vulcanite rocks (lbs)	132	132	132	132	132	132
Amps / Voltage / Phase	43.8 / 240 / 1	50.0 / 240 / 1	60.0 / 240 / 1	29.2 / 208 / 3	33.3 / 208 / 3	40.1 / 208 / 3
Control unit	All Laava Heaters are available with the following controls: SL2-C, Elite Cloud, Pure 2.0, or FSC					
Shipping weight	75	75	75	75	75	75
Dim. (inch) (WxHxD)	22 x 35 x 22	22 x 35 x 22	22 x 35 x 22	22 x 35 x 22	22 x 35 x 22	22 x 35 x 22
Extra features	WT Auto-Fill Option Available					

Magma Heater



Designed for large commercial size sauna rooms requiring two or more floor heaters—from 21.0 kW to 28.8 kW.

MAGMA HEATER	Magma 21	Magma 24	Magma 29	Magma 21	Magma 24	Magma 29
Sauna size (Cu. Ft.)	720-1270	1120-1550	1300-2000	720-1270	1120-1550	1300-2000
Heating power (kW)	21.0	24.0	28.8	21.0	24.0	28.8
Vulcanite rocks (lbs)	198	198	198	198	198	198
Amps / Voltage / Phase	29.1/208/3 (2 Cks)	33.3/208/3 (2 Cks)	40.0/208/3 (2 Cks)	25.3/480/3	28.9/480/3	34.6/480/3
Control unit	SL2-C with CB 17 and CB 18**			SL2-C with CB 17**		
Shipping weight	125	125	125	125	125	125
Dim. (inch) (WxHxD)	35 x 24 x 28	35 x 24 x 28	35 x 24 x 28	35 x 24 x 28	35 x 24 x 28	35 x 24 x 28
Extra features	WT Auto-Fill Option / On/Off Switch / Mobile App					

Junior Heater



For small saunas and tight spaces, the Junior heater combines great European design with the SaunaLogic2 control (Separate contactor box required). Stainless steel construction.

JUNIOR	Junior 21	Junior 21	Junior 30	س.و
Sauna size (Cu. Ft.)	45 - 100	45 - 100	70 - 150	
Heating power (kW)	2.1	2.1	3.0	
Vulcanite rocks (lbs)	25	25	25	25
Amps / Voltage / Phase	17.5 / 120 / 1	8.75 / 240 / 1	25 / 120 / 1	12.5 / 240 / 1
Control unit	SaunaLogic2	SaunaLogic2	SaunaLogic2	SaunaLogic2
Shipping weight	19	19	19	19
Dim. (inch) (WxHxD)	11 1/2 x 26 x 8	11 1/2 x 26 x 8	11 1/2 x 26 x 8	11 1/2 x 26 x 8

Designer B Heater



Offers in-room control of your sauna or for installs where external controls are not an option. Controls feature "9+1" timer with 9-hour time delay feature. Controls bottom mount—front or side.

Designer B	Designer 45B	Designer 60B	Designer 80B	Designer 80B/3
Sauna size (Cu. Ft.)	100-210	175-310	250-425	250-425
Heating power (kW)	4.5	6.0	8.0	8.0
Vulcanite rocks (lbs)	33	50	50	50
Amps / Voltage / Phase	18.8 / 240 / 1	25 / 240 / 1	33.3 / 240 / 1	22.2 / 208 / 3
Control unit	Built-in	Built-in	Built-in	Built-in
Shipping weight	35	36	37	37
Dim. (inch) (WxHxD)	16 1/2 x 23 x 11	16 1/2 x 23 x 11	16 1/2 x 23 x 11	16 1/2 x 23 x 11

Designer Pure Heater



For saunas up to 425 cubic feet, the Designer Pure heater with the Pure 2.0 control is easy to use and is a terrific value. Stainless steel construction. Wall mounted.

DESIGNER PURE	Designer Pure 45	Designer Pure 60	Designer Pure 80	Designer Pure 80/3
Sauna size (Cu. Ft.)	100 - 210	175 - 310	250 - 425	250-425
Heating power (kW)	4.5	6.0	8.0	8.0
Vulcanite rocks (lbs)	33	50	50	50
Amps / Voltage / Phase	18.8 / 240 / 1	25.0 / 240 / 1	33.3 / 240 / 1	22.2 / 208 / 3
Shipping weight	35	35	35	35
Dim. (inch) (WxHxD)	16 1/2 x 23 x 11	16 1/2 x 23 x 11	16 1/2 x 23 x 11	16 1/2 x 23 x 11
Control unit	Pure 2.0	Pure 2.0	Pure 2.0	Pure 2.0

Viki SL2 Heater



For saunas up to 425 cubic feet, the Viki SL2 heater with the SaunaLogic2 Control is easy to use and is a terrific value. Stainless steel construction. Separate contactor box required. Wall mounted.

Viki SL2	Viki SL2 45	Viki SL2 60	Viki SL2 80	Viki SL2 80/3
Sauna size (Cu. Ft.)	100 - 210	175 - 310	250 - 425	250-425
Heating power (kW)	4.5	6.0	8.0	8.0
Vulcanite rocks (lbs)	33	50	50	50
Amps / Voltage / Phase	18.8 / 240 / 1	25.0 / 240 / 1	33.3 / 240 / 1	22.2 / 208 / 3
Shipping weight	35	35	35	35
Dim. (inch) (WxHxD)	16 1/2 x 23 x 11	16 1/2 x 23 x 11	16 1/2 x 23 x 11	16 1/2 x 23 x 11
Control unit	SaunaLogic2	SaunaLogic2	SaunaLogic2	SaunaLogic2

Pro Heater



Designed for large, commercial-sized sauna rooms, use with separate control panels. Remote control panel. Stainless steel exterior and junction box. Separate contactor box required. Floor standing.

Commercial Tip: combine Pure 2.0 with an on/off button—see p. 60.

PRO	Pro 105	Pro 120	Pro 140	Pro 105/3	Pro 120/3	Pro 140/3
Sauna size (Cu. Ft.)	390 - 600	510 - 740	630 - 950	390 - 600	510 - 740	630 - 950
Heating power (kW)	10.5	12.0	14.4	10.5	12.0	14.4
Vulcanite rocks (lbs)	132	132	132	132	132	132
Amps / Voltage / Phase	43.8 / 240 / 1	50.0 / 240 / 1	60.0 / 240 / 1	29.2 / 208 / 3	33.3 / 208 / 3	40.1 / 208 / 3
Shipping weight	68	70	75	68	70	75
Dim. (inch) (WxHxD)	20 x 29 x 19	20 x 29 x 19	20 x 29 x 19	20 x 29 x 19	20 x 29 x 19	20 x 29 x 19
Control unit	Pure 2.0, SC, Dig VII	Pure 2.0, SC, Dig VII	Pure 2.0, SC, Dig VII	Pure 2.0, SC, Dig VII	Pure 2.0, SC, Dig VII	Pure 2.0, SC, Dig VII

DELUXE SAUNA CONTROLS

FAMCO
هایپر صنعت

THE LATEST IN SMART SAUNA TECHNOLOGY

In the Helo pure sauna experience, managing the climate, timing and comfort of your sauna is never a source of stress. Helo sauna controls are attractive and designed and manufactured to provide years of dependable, convenient and safe operation. And regardless of the option you choose, Helo sauna control units let you create the environment that's perfect for you—easily and intuitively.

NORTH AMERICA'S FIRST SAUNA CONTROL WITH TRUE WORLDWIDE MOBILE FUNCTIONALITY. OPERATE YOUR SAUNA HEATER FROM ANYWHERE!

SAUNALOGIC2® CONTROL

In addition to the mobile app with functionality from anywhere there is cell or data service, the SL2 has modern design and is simple to use. The glass touch screen provides a modern and extremely flexible option for the modern sauna owner. This control operates time, temperature, lighting (including optional color lighting), and can even work with our Bluetooth sound system.

- 3 3/8" w x 5 1/2" H x 1/4" D
- Intuitive display (time/temp/lighting/ system status)
- 24hr. time delay; 60 minute timer
- Built-in RGBW light control with dimmer (use with optional Saunachrome light kit)
- Built-in Bluetooth button for use with optional SL2 Audio Kit
- Available in Traditional-Sauna or Infra-Sauna models



Operate your sauna from anywhere you have cell service. Your sauna will be ready when you are.

www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

Tel: ۰۲۱-۴۸۰۰۰۰۴۹

Fax: ۰۲۱-۴۴۹۹۴۶۴۲

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج)

روبروی پالایشگاه نفت پارس، پلاک ۱۲



Elite Cloud Control shown with mobile phone app



ELITE CLOUD TOUCHSCREEN CONTROL

Helo's Elite Cloud control features European modern design for surface or recess mount applications. The industry's most flexible control can be operated on a full 365 day per year calendar, multiple user settings languages and more. The addition of operating this control from the comfort of your smart device (phone, tablet or even PC) makes it the most desirable control system for today's discerning homeowner.

- Touch screen operation for easy control
- Surface mount
- Optional choice of trim ring in six finishes.
- Mount inside or outside the sauna room
- Waterproof
- Intelligent Start (pre-heat sauna when you want it)
- Calendar Programming (set your sauna to work according to your schedule).
- User Favorites (remembers user preferences)
- "TyloHeloControl" app for Android or iPhone

PURE 2.0™ CONTROL

The Pure 2.0 Control takes the popular and simplistic Trend control and gives it a modern update. The same simple control features such as 10-hour preset, simple time and temperature control as well as light operation, has been updated with a new, modern, black face glass touch screen and provides a large, easy to read, digital readout of temperature.



Helo's Pure 2.0 digital control provides European design with superb functionality.

- 3 3/8" W x 5" H x 1/2"D
- Time and temperature settings
- Digital readout of current temperature
- 60 minute timer
- 10-hour time delay
- Light switch
- Can be mounted inside or outside the sauna
- Waterproof
- Surface mount
- Can be used with optional on/off switch for flexible operation or commercial use.

ON/OFF BUTTON

- A simple one-touch override of the main sauna control panel
- This optional illuminated external switch allows the sauna bather to turn the sauna On/Off (with an SL2, Pure 2.0 and Elite Cloud control system)
- When turned "On" the sauna will operate at the pre-set time and temperature on the main control. Commercial saunas can operate as 60 min. or 24 hr. run cycle
- Heavy duty vandal resistant brushed stainless steel control; blue LED illuminates when turned on
- Mounts in a standard single-gang electrical rough-in box
- In a commercial environment the main sauna control can be located at the attendant's desk (or in the mechanical room) so the sauna time/temperature functions are secured from the general public
- SL2 controls can be operated from a world-wide mobile app for ease and safety of club-manager-operation of commercial saunas
- Elite Cloud control systems can be operated from a PC-app for ease and safety of club-manager-operation of commercial saunas
- No programming needed; Plug-n-play operation



On/Off Button can be connected to SL2, Elite Cloud or Pure 2.0 Control.

CLASSIC SAUNA CONTROLS

Proven Performance and Reliability.

DIGI VII

- Perfect for Health Clubs with predetermined start and stop times each day
- 7-day, 24 hour programmability
- SaunaSmart function
- Adjustable time and temp
- Ventilation fan and light buttons
- Integral audible high temperature alarm for additional safety
- For use Pro heater and Pikkutonttu
- Note: Digi-1 version of control available for Pikkutonttu heaters (see website or call for details).



SC-60

- Sleek, flush mounted design with satin stainless steel face plate.
- 60 minute timer
 - Light switch
 - Adjustable thermostat control
 - Heat indicator light
 - Flush mount control
 - Sleek satin stainless steel face
 - For use with Laava/Pro heaters
 - Floor heaters require separate contactor box



SC-9 CONTROL

- Similar to SC-60 but with 9-hour time delay start up.
- 60 minute timer with 9-hour time delay for start up
 - For use with Laava/Pro heaters
 - Floor heaters require separate contactor box



SC-CLUB

- Similar to SC-60 but with on/off switch.
- On/off switch for club use with attendant on duty (no timer)
 - For use with Laava/Pro heaters
 - Floor heaters require separate contactor box



SAUNA CONTROL SPECIFICATION						
Type	Use with heater series	Use with contactor	240 V / 1 phase	Max power (kW)	208 V / 3 phase	Max power (kW)
Elite Cloud	Himalaya/Laava	Yes w/Laava	Yes	9/14.4	Yes	9/14.4
Digi VII	Laava/Pro/Pikku	Yes w/Laava & Pro	Yes	14.4	Yes	14.4
Pure 2.0	Designer/Fonda Piccolo/Himalaya	None	Yes	8 9	Yes	8 9
Pure 2.0	Laava/Pro	Yes	Yes	14.4	Yes	14.4
SC	Laava/Pro	Yes	Yes	14.4	Yes	14.4
SL2	Junior	Yes	Yes	3	No	3
SL2	Viki	Yes	Yes	8	No	8
SL2	Himalaya	Yes	Yes	9	Yes	9
SL2-C	Laava	Yes	Yes	14.4	Yes	14.4
SL2-C	Magma	Yes	Yes	28.8	Yes	28.8

www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

Tel: ۰۲۱-۴۴۹۹۴۶۴۲

Fax: ۰۲۱-۴۴۹۹۴۶۴۲

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج)

روبروی پالایشگاه نفت پارس، پلاک ۱۲

SAUNA HEATERS

Woodburning

FAMCO
هایپر صنعت



Traditional woodburning saunas really go to the heart of the traditional sauna experience: the incomparably soft heat, lush hiss of steam and relaxing crackle of a wood-fueled fire... even the ritual of tending the fire. It is a heritage sauna enthusiasts have treasured for thousands of years. Captured and reinterpreted for modern living in today's Helo wood burning heaters.

The patented air channeling system between the outer shroud and inner firebox allows heated air to efficiently pass through the rock chamber for faster and more even heating of the rocks. This improves steam generation and air circulation in the sauna. As the fire dies down, the firebox walls cool and the air stops rising through the rock compartment and is redirected to the side vents. We call this the "Coanda" effect. The stones retain their heat longer, providing long-lasting comfort while using firewood as efficiently as possible.

HELO WOODBURNING SAUNA HEATERS FEATURE:

- No electricity needed—perfect for cabins or remote locations
- Outer shield finished in heat resistant paint and stainless steel (KS models) looks great and contributes to softer heat
- Large rock capacity means soft heat/steam
- Patented 'Coanda' air ventilation system for long steel life and quick efficient heating time (KS models)
- Removable ash pan
- Interior or exterior feed options
- Chimney outlet out the top or back
- Optional enclosed stainless steel water tank
- For saunas from 200 cu. ft. to 1412 cu. ft.
- Quality construction: heavy duty steel interior
- CE safety listed (most models)



www.famcocorp.com

E-mail: info@famcocorp.com



@famco_group

Tel: ۰۲۱-۴۸۰۰۰۰۰۴۹

Fax: ۰۲۱-۴۴۹۹۴۶۴۲

تهران، کیلومتر ۲۱ بزرگراه لشکری (جاده مخصوص کرج)

روبروی پالایشگاه نفت پارس، پلاک ۱۲



Karhu 20



Karhu 20ES



Karhu 22T



Saga 22



Saga 22T



16CK



Model	Specification	Sauna Size (ft ³)	Heater Size (WXHXD)	Rock Capacity (lbs)	Heater Weight (lbs)	Flue Opening ø inches	Safety Distance FRONT	Safety Distance SIDE	Safety Distance BACK	Safety Distance CEILING
16CK	Basic wood burning heater	212-565	16 x 29 x 19	70	80	6"	19.6"	11.8"	11.8"	51.2"
Karhu 20	Basic wood burning heater	282 - 702	17 x 28.75 x 18	70	99	4.5"	19.6"	11.8"	11.8"	51.2"
Karhu 20ES	Heater with watertank front	282 - 706	17 x 28.75 x 26.75	70	121	4.5"	19.6"	11.8"	11.8"	51.2"
Karhu 22	Basic, small glass door	423 - 776	17.75 x 19 x 31	70	135	4.5"	19.6"	11.8"	11.8"	48.8"
Karhu 22 VO	Basic, small glass door, watertank right	423 - 776	24.5 x 19 x 31	70	14	4.5"	19.6"	11.8" *	11.8	48.8"
Karhu 22 VV	Basic, small glass door, watertank left	423 - 776	24.5" x 19 x 31	70	148	4.5"	19.6"	11.8" *	11.8"	48.8"
Karhu 22 T	Through-wall with big glass door	423 - 776	17.75 x 19 x 31	70	209	4.5"	19.6"	11.8"	1.9"	48.8"
Karhu 30	Basic, small glass door	706 - 1059	19.3 x 19 x 36	70	185	4.5"	19.6"	11.8"	11.8"	51.57"
Karhu 30 VO	Basic, small glass door, watertank right	706 - 1059	26 x 19 x 36	70	198	4.5"	19.6"	11.8" *	11.8"	51.57"
Karhu 30 VV	Basic, small glass door, watertank left	706 - 1059	26 x 19 x 36	70	198	4.5"	19.6"	11.8" *	11.8"	51.57"
Karhu 30 T	Through-wall with big glass door	706 - 1059	19.3 x 19 x 36	70	265	4.5"	19.6"	11.8"	1.9"	51.57"
Karhu 40	Basic, small glass door	1059 - 1412	22.8 x 23 x 36.4	132	272	4.5"	19.6"	11.8"	11.8"	51.2"
Karhu 40 VO	Basic, small glass door, watertank right	1059 - 1412	29 x 23 x 36.4	132	289	4.5"	19.6"	11.8" *	11.8"	51.2"
Karhu 40 VV	Basic, small glass door, watertank left	1059 - 1412	29 x 23 x 36.4	132	289	4.5"	19.6"	11.8" *	11.8"	51.2"
Karhu 40 T	Through-wall with big glass door	1059 - 1412	22.8 x 23 x 36.4	132	353	4.5"	19.6"	11.8"	1.9"	51.2"
"T" Chrome, Front	Front frame for T models, chrome	n/a	n/a	n/a	n/a	4.5"	n/a	n/a	n/a	n/a
"T" Black, Front	Front frame for T models, black paint	n/a	n/a	n/a	n/a	4.5"	n/a	n/a	n/a	n/a
Saga 22	Basic, small glass door	423 - 777	23.6 x 23 x 32.4	330	205	4.5"	19.6"	9.8"	9.8"	55"
Saga 22 T	Through-wall with big glass door	423 - 777	23.6 x 23 x 32.4	330	253	4.5"	19.6"	9.8"	1.9"	55"
Saga 30	Basic, small glass door	706 - 1059	26.6 x 23 x 36.6	396	240	4.5"	19.6"	9.8"	9.8"	55"
Saga 30 T	Through-wall with big glass door	706 - 1059	26.6 x 23 x 36.6	396	308	4.5"	19.6"	9.8"	1.9"	55"

*Six inch chimney adapter/converter provided with each woodburner (except 16CK)

www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

Tel: ۰۲۱-۴۸۰۰۰۰۴۹

Fax: ۰۲۱ - ۴۴۹۹۴۶۴۲

CE All heaters shown are CE listed, except 16CK.

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج)

روبروی پالایشگاه نفت پارس، پلاک ۱۲

SAUNA ACCESSORIES

Put the personal finishing touches on your Helo sauna experience with our quality-crafted accessories. All Helo sauna packages already come complete with thermometer, bucket, ladle, backrests, light and heater guard rail. But you can also choose different styles and additional products from our wide assortment. If you already own a sauna, accessories are also a smart and easy way to refresh and update it.



Rento Sauna Buckets

Timeless design combined with user-friendly shapes. The metal parts are color-anodised aluminum, with handles of heat-treated bamboo.

Sauna Buckets



Aluminum Ladle



Rento Pisara Sauna Bucket Set

The Pisara products are manufactured from a completely Finnish biocomposite called UPM Formi*. The durable natural fibre composite is pleasant to the touch and an excellent choice of material for the heat and humidity of the sauna.



Bamboo Bucket Liner Bamboo Ladle



Bamboo Bath Brush Bamboo Oval Nail Brush Bamboo Body Brush



helo

Finnish Sauna Perfection