

B 150 R BP PACK ADV 240AH WET+D90+DOSE+RINSE

Excellent equipment for excellent cleaning results: Our battery powered B 150 R Bp Adv ride-on scrubber dryer with a powerful all-wheel drive and 90 cm disc brush head.













1.246-038.0

- Compact and agileEASY Operation selector switch

| Technical data | | |
|----------------------------------|--------|---------------------|
| EAN code | | 4054278768120 |
| Drive type | | Battery |
| Working width of brushes | mm | 900 |
| Working width, vacuuming | mm | 1180 |
| Tank of fresh/dirty water | 1 | 150 / 150 |
| Battery type | | Low-maintenance |
| Battery | V / Ah | 36 / 240 |
| Battery runtime | h | max. 5 |
| Battery charging time | h | approx. 11 |
| Power supply for battery charger | V / Hz | 220 - 240 / 50 - 60 |
| Brush rotational speed | rpm | 180 |
| Brush contact pressure | kg | 94 |
| Water consumption | l/min | max. 7 |
| Sound pressure level | dB(A) | 67 |
| Total permissible weight | kg | 957 |
| Dimensions (L × W × H) | mm | 1700 × 1070 × 1420 |
| | | |

| Equipment | |
|---|----------|
| Disc brush | • |
| Auto Fill | |
| Patented tank rinsing system | • |
| Powerful traction drive | • |
| Built-in charger | • |
| Battery and charger included | • |
| Automatic water stop | • |
| DOSE | • |
| Squeegee, curved | • |
| standard daytime driving light | • |
| Type of suction lips | Linatex® |
| robust front bumper | • |
| dosing canister for cleaning agent with closed loop system | • |
| Kärcher colour and operating concept | • |
| Kärcher Intelligent Key System (KIK) with over 30 user languages and individual user rights | • |
| Home Base fastening possibilities for mop or similar | • |
| electrical and mechanical float switch | • |
| Easy Operation selector switch | • |
| | |

Included in the scope of supply.

Users must receive training on this device.

- w w w . f a m c o c o r p . c o m
- E-mail: info@famcocorp.com
- @famco_group



KARCHER



Robust squeegee made from die-cast aluminium

- With tear-resistant, long-lasting Linatex® suction lips for excellent vacuuming results.
- Fast and simple replacement of the suction lips.
- Swerves upon wall contact, thus avoiding damage.

Brush head with disc engineering

- Disc brushes and pad drive boards are easy to change.
- Disc brushes available in different levels of hardness: soft, medium and hard.
- Disc cleaning models, especially for use on smooth surfaces.

All-wheel drive

- Can also be used in steep multi-storey car parks.
- Up to 18% climbing ability in cleaning operation.
- Good directional stability, even on smooth floors.



























| | | | | Т |
|--|----|-------------|---|---|
| | | | | |
| | | Order no. | Description | |
| DISC BRUSHES | | | | |
| Disc brush, medium, red, 450 mm | 1 | 4.905-003.0 | Red standard disc brush for regular maintenance cleaning. | |
| Disc brush, very soft, White, 450 mm | 2 | 4.905-005.0 | White, soft disc brush for the gentle cleaning of sensitive floor coverings. | |
| Disc brush, soft, natural, 450 mm | 3 | 4.905-004.0 | Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. | |
| Disc brush, hard, Black, 450 mm | 4 | 4.905-006.0 | Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |
| BRUSH HEADS | | | | |
| Brush head D90 S | 5 | 2.763-008.0 | Brush head with 2 disc brushes, brush quick changeover system, 90 cm working width and height adjustable side guards. | • |
| WIPING FLAPS | | | | |
| Modification kit, squeegee blades for brush head | 6 | 2.763-031.0 | Floating squeegee blades adapt to the surface. Fits D 90, D 75 and D 65. | |
| SQUEEGEES AND SQUEEGEE BLADES | | | | |
| Squeegees | | | | |
| Squeegee, 1180 mm, parabolic | 7 | 4.778-009.0 | Parabolic, robust squeegee made from aluminium with 1180 mm suction width and quick coupling. Delivers excellent suction and drying results. Tool-free change of suction lips. | - |
| Squeegee blades | | ' | | |
| Squeegee blades, Linatex*, 1300 mm | 8 | 4.039-362.0 | Tear-resistant suction lip made from Linatex* with special inlet openings for optimal suction results at crevices and joints. Suitable for parabolic squeegee with 1180 mm suction width. | 5 |
| Squeegee blades, oil-resistant, slotted, 1300 mm | 9 | 4.039-363.0 | Low-wear, oil-resistant suction lip made from polyurethane. Triple-coated material for high flexibility and optimal peel properties. For parabolic squeegee with 1180 mm suction width. | |
| OTHER ACCESSORIES SCRUBBER DRIERS | | | | |
| Miscellaneous | | | | |
| Cover tank rinsing system complete | 10 | 4.035-513.0 | For machines in the B 150 & B 200 range with tank cleaning system: tool-free exchangeable dirty water tank cover with integrated spray nozzles. | - |
| Cleaning agent tank | 11 | 4.039-355.0 | Cleaning agent canister (5 l) for scrubber dryers with Dose cleaning agent dosing system. With quick coupling system for canister change without direct contact with the cleaning agent. | - |
| KIK key, yellow | 12 | 5.035-344.0 | User key for using the appliance | • |
| KIK key, grey | 13 | 5.035-348.0 | Supervisor key for using the appliance | |
| Impact protection attachment kit D 90 S | 14 | 2.643-371.0 | Protects the brush head against knocks. | |

[■] Included in the scope of supply.

□ Available accessories.































| | | Order no. | Description | |
|---|----|-------------|---|------|
| OTHER ACCESSORIES SCRUBBER DRIERS | | | | |
| Miscellaneous | | | | |
| KIK key, white | 15 | 4.035-076.0 | User key for using the appliance programmable | |
| KIK key set, yellow | 16 | 4.035-408.0 | Key for operators. Cannot be adjusted. | |
| KIK key set, white | 17 | 4.035-064.0 | 5 white keys with keychain. Each key can be individually preset using the grey key supplied with the machine. This means that the machine parameters are always the same. The keychain helps to identify the key. This allows parameters to be set for cleaning in summer or winter, in sunshine or rain, on sensitive and hard-wearing floors or in workshops and showrooms. | |
| Home Base accessories | | | | |
| Home Base adapter | 18 | 5.035-488.0 | Fastener for various hooks and clips on the machine. | |
| Home Base Mop Holder Kit | 19 | 4.035-514.0 | Holder fits on machine for convenient mop storage. | |
| Universal hook kit | 20 | 4.070-075.0 | Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine. | |
| Double hook | 21 | 6.980-077.0 | Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0. | |
| Holder handhold grey | 22 | 6.980-078.0 | Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0 |). 🗆 |
| Bottle holder | 23 | 6.980-080.0 | Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0. | |
| Home Base Box Kit | 24 | 4.035-406.0 | The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc. | |
| Manual rinsing system | 25 | 4.035-515.0 | Allows the tank to be rinsed using the on-board fresh water. Includes hose, spray nozzle and hose hanger. | |
| Wheels / tyres | | • | | |
| Supergrip front wheels | 26 | 6.435-810.0 | The combination of the special tyre compound and the V-profile of these oil-resistant front wheel bands increases traction and ensures very good adhesion properties on slippery floors. | |
| Dosing aids | | • | | |
| DS 3 Cleaning Agent Dosing Station | 27 | 2.641-811.0 | After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717). | |
| DISC PADS / PAD DRIVE BOARDS | | | | |
| Microfibre pad | | | | |
| Microfibre pad, White, 457 mm, 5 Piece(s) | 28 | 6.369-960.0 | Microfibre disc pad for the reliable and gentle removal of grey haze. Ideal for fine stoneware tiles. | |

[■] Included in the scope of supply.

□ Available accessories.































| | | Order no. | Description | |
|--|----|-------------|--|-----|
| DISC PADS / PAD DRIVE BOARDS | | <u> </u> | | |
| Pads | | | | |
| Pad, medium-soft, red, 457 mm, 5 Piece(s) | 29 | 6.369-024.0 | Red, standard disc pad for regular maintenance cleaning. | |
| Pad, medium-hard, green, 457 mm, 5 Piece(s) | 30 | 6.369-023.0 | Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt. | |
| Pad, hard, Black, 457 mm, 5 Piece(s) | 31 | 6.369-022.0 | Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |
| Pad drive boards | | | | |
| Pad drive board STRONG, 445 mm | 32 | 4.762-594.0 | Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 90. 2 pc. required. | |
| Pad drive board, 445 mm | 33 | 4.762-493.0 | Fits on D 90. For cleaning with pads. With quick-changing coupling and center lock. | |
| Diamond pad | | | | |
| Diamond pad, coarse, White, 457 mm, 5 Piece(s) | 34 | 6.371-258.0 | White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad. | |
| Diamond pad, medium, Yellow, 457 mm, 5 Piece(s) | 35 | 6.371-259.0 | Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad. | ; 🗆 |
| Diamond pad, fine, green, 457 mm, 5 Piece(s) | 36 | 6.371-239.0 | Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation. | |
| Melamine pads | | - | | |
| Melamine pad, Grey/white, 457 mm, 2 Piece(s) | 37 | 6.371-024.0 | White melamine disc pad for intermediate and deep cleaning of microporous surfaces, as well as fine stone and other hard floor coverings. Can also be used for removing grey haze. | |
| KITS | | | | |
| Side broom / side scrub deck mounting kit | | | | |
| Side scrubbing deck | 38 | 2.644-088.0 | For wet cleaning close to the edge on the right side: side scrubbing deck with lifting arm. Extends the working width by 20 cm. | |
| Fleet mounting kit | | | | |
| Attachment kit Plug-in Connect Module | 39 | 2.644-391.0 | The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system. | t |
| Lighting / revolving signal light mounting kit | | | | |
| Working light (manufactured from 8/2018 onwards) | 40 | 2.034-001.0 | Working light for improving safety when working. With front and side lighting on the brush head. | |
| Revolving signal light | 41 | 4.035-516.0 | Increases safety at work. | |
| Other attachment kits | | | | |
| Stacked bumper roller squeegee attachment kit | 42 | 2.644-225.0 | Additional non-marking bumper rollers for attaching to the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet. | |
| A vailable assessmins | • | • | | - |

[☐] Available accessories.



















| | | Order no. | Description | |
|------------------------------------|----|-------------|---|------|
| кітѕ | | | | |
| Other attachment kits | | | | |
| Protective roof | 43 | 2.644-089.0 | The protective roof with a height of 2.06 m complies with VDE standard IEC 60335-2-72. | |
| Suction hose accessories | 44 | 4.444-015.0 | For vacuuming water out of corners or containers (e.g. freezers). | |
| Auto-Fill | 45 | 4.035-345.0 | Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow. | |
| Spray extraction mounting kit | | | | |
| Spray suction attachment kit | 46 | 2.642-058.0 | Simplifies cleaning areas inaccessible for machines. | |
| TRACTION BATTERIES AND CHARGERS | | | | |
| Accessories for batteries | | | | |
| Box with wall holder | 47 | 2.641-243.0 | | e 🗆 |
| Вох | 48 | 2.641-244.0 | box 4 meters high. | |
| SPRAY EXTRACTION MACHINES | | | | |
| Other | | | | |
| Cleaning agent container, complete | 49 | 4.070-006.0 | Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail. | . 🗆 |
| SPRAY UNITS | | | | |
| Pump spray bottle | 50 | 6.394-409.0 | 1-litre pump spray bottle – including pump and pressure tank – easy, uniform spraying for cleanin or crystallising. | ıg 🗆 |

[☐] Available accessories.