

BD 50/50 C CLASSIC BP PACK 80AH

The BD 50/50 C Bp Pack Classic is an affordable and compact entry-level model to the class of battery powered scrubber dryers. The machine allows area performances of up to $2000 \text{ m}^2/\text{h}$.





Order no.

1.127-026.0

- Battery powered
- One disc
- Extremely easy to use

| Technical data | | |
|----------------------------------|------------|---------------------------|
| EAN code | | 4054278614113 |
| Drive type | | Battery |
| Traction drive | | Advance by brush rotation |
| Working width of brushes | mm | 510 |
| Working width, vacuuming | mm | 900 |
| Tank of fresh/dirty water | 1 | 50 / 50 |
| Theoretical area performance | m²/h | max. 2040 |
| Practical area performance | m²/h | 1200 |
| Battery type | | maintenance-free |
| Battery | V / Ah | 24 / 80 |
| Battery runtime | h | max. 2.2 |
| Battery charging time | h | approx. 8.7 |
| Power supply for battery charger | V / Hz | 100 - 240 / 50 - 60 |
| Brush rotational speed | rpm | 180 |
| Brush contact pressure | g/cm² / kg | 27.3 - 28.5 / 20 - 23 |
| Aisle turning width | mm | 1240 |
| Water consumption | l/min | max. 2.3 |
| Sound pressure level | dB(A) | 66 |
| Weight without accessories | kg | 52 |
| Dimensions (L × W × H) | mm | 1170 × 570 × 1025 |
| | | |

| V | |
|------------------------------|---------|
| Equipment | |
| Disc brush | • |
| Battery | |
| Battery and charger included | |
| Battery charger | |
| Squeegee, v-shape | • |
| 2-tank system | |
| Motor | Battery |

Included in the scope of supply.

Users must receive training on this device.

w w w . f a m c o c o r p . c o m

E-mail: info@famcocorp.com

@famco_group

(a) Fax:011 - FF99F5FF

تهران ، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبــروی پالایشگاه نفت پـارس ، پلاک ۱۲







Equipped with solenoid valve and transport roll for maximum comfort

- Solenoid valve for automatic water cutout after the dead man's switch is released.
- The fold-out transport roll makes possible the convenient two-step method.
- Fold-out transport roll facilitates the transport of the machine considerably.



Simple operation thanks to EASY-Operation Panel

- Self-explanatory symbols and clear control
- Brief familiarisation phases.
- Simple, yellow colour-coded control elements make the machine easy to use.



Affordable entry-level model

- Excellent price-performance ratio.
- \blacksquare Reduced to the most important functions.

⊗ w w w . fa m cocorp . com

E-mail: info@famcocorp.com

@famco_group

Tel:∘۲۱- ۴ Λ ∘ ∘ ∘ ∘ ۴ 9

@ Fax:011 - ##99#9#1

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبــروی پالایشگاه نفت پـارس، پلاک ۱۲



KÄRCHER

ACCESSORIES FOR BD 50/50 C CLASSIC BP PACK 80AH 1.127-026.0



























| | | Order no. | Description | L | |
|---|----|-------------|--|------------|--|
| DISC BRUSHES | | | | - | |
| Disc brush, medium, red, 510 mm | 1 | 4.905-026.0 | Red standard disc brush for regular maintenance cleaning. | - | |
| Disc brush, soft, natural, 510 mm | 2 | 4.905-027.0 | Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. | | |
| Disc brush complete black D51, hard, Black, 510 mm | 3 | 4.905-029.0 | Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | | |
| SQUEEGEES AND SQUEEGEE BLADES | | | | | |
| Squeegees | | | | | |
| Squeegee, 900 mm, V-shaped | 4 | 4.777-079.0 | 900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment. | 5 = | |
| Squeegee, 850 mm, straight | 5 | 4.777-401.0 | Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane. | | |
| Squeegee blades | | | | | |
| Squeegee blades for V-squeegee, oil-resistant, grooved, 1010 mm | 6 | 6.273-023.0 | Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors. | | |
| Rubber lip set, oil-resistant, grooved, 890 mm | 7 | 6.273-207.0 | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors. | | |
| Squeegee blades, oil-resistant, slotted, 890 mm | 8 | 6.273-229.0 | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors. | | |
| Squeegee blades, oil-resistant, closed, 890 mm | 9 | 6.273-290.0 | Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors. | | |
| Squeegee blades, Natural rubber, 890 mm | 10 | 6.273-213.0 | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Soft natural rubber grooved squeegee blades. For all standard floors. | | |
| TRACTION BATTERIES AND CHARGERS | | | | | |
| Batteries | | | | | |
| Battery kit, 24 V, 80 Ah, maintenance-free | 11 | 2.815-090.0 | AGM battery kit with 24 V voltage and 80 Ah (C5). The kit includes 2 single batteries, each with 12 V and 80 Ah capacity. | • | |
| Battery Chargers | | | | | |
| Battery charger, 24 V | 12 | 6.654-329.0 | For scrubber driers from Kärcher: 24 V battery charger for maintenance-free batteries with a capacity between 70 and 115 Ah. | | |
| Accessories for batteries | | | | | |
| Battery mounting kit | 13 | 2.638-144.0 | Installation kit for installing a battery kit in a machine. Incl. power cable and connection cable and one spacer. Image similar. | • | |
| SWEEPING | | | | | |
| Pickers | | | | | |
| Litter picker 100 cm | 14 | 6.999-113.0 | 100 cm long ergonomic litter picker for the comfortable pick-up of coarse dirt. | | |

 \blacksquare Included in the scope of supply. $\hfill\Box$ Available accessories.





ACCESSORIES FOR BD 50/50 C CLASSIC BP PACK 80AH 1.127-026.0

























| | _ | | | \top |
|--|----|-------------|--|--------|
| | | | | |
| | | Order no. | Description | |
| TEXTILES DURABLE | | | | |
| Pockets | | | | |
| ECO! mop, blue, 40 cm | 15 | 6.999-143.0 | ECO!Mop set in blue. With loops made from microfibre and pocket fixing. Perfect for the preconditioning method and use with the flat mop system from Kärcher. | |
| ECO! mop, red, 40 cm | 16 | 6.999-136.0 | ECO!Mop set in red. With loops made from microfibre and pocket fixing. Perfect for the preconditioning method and use with the flat mop system from Kärcher. | |
| FLOOR WET CLEANING | | | | T |
| Spraymopsystems | | | | |
| ECO!Spray mop system | 17 | 5.999-045.0 | ECO!Spray mop system for use with washable pocket mops for moist and wet cleaning of floor coverings. Includes a 0.66-litre bottle. | |
| DISC PADS / PAD DRIVE BOARDS | | | | |
| Pads | | | | |
| Pad, soft, beige, 508 mm, 5 x | 18 | 6.369-468.0 | Beige-coloured pad for ultra high-speed polishing and cleaning. | |
| Pad, medium-soft, red, 508 mm, 5 x | 19 | 6.369-079.0 | Red, standard disc pad for regular maintenance cleaning. | |
| Pad, medium-hard, green, 508 mm, 5 x | 20 | 6.369-078.0 | Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt. | |
| Pad, hard, Black, 508 mm, 5 x | 21 | 6.369-077.0 | Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |
| Pad, hard, brown, 508 mm, 2 x | 22 | 2.639-258.0 | Very abrasive disc pad for chemical-free care film and decoating. | |
| Natural hair pad, soft, natural, 500 mm, 5 x | 23 | 6.371-146.0 | The soft beige disc pad made from natural hair is ideal for cleaning and high-gloss polishing. | Г |
| Pad drive boards | | I. | | |
| Pad drive board STRONG, 480 mm | 24 | 4.762-593.0 | Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 51. | |
| Pad drive board, 479 mm | 25 | 4.762-534.0 | For cleaning with pads. With quick-change coupling and Centerlock. | |
| Diamond pad | | JI. | | |
| Diamond pad, coarse, White, 508 mm, 5 x | 26 | 6.371-260.0 | White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad. | |
| Diamond pad, medium, Yellow, 508 mm, 5 x | 27 | 6.371-261.0 | Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad. | ; [|
| Diamond pad, fine, green, 508 mm, 5 x | 28 | 6.371-240.0 | Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation. | |
| | | | | _ |

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.



ACCESSORIES FOR BD 50/50 C CLASSIC BP PACK 80AH 1.127-026.0





























| | | Order no. | Description | |
|---|----|-------------|--|-----|
| DISC PADS / PAD DRIVE BOARDS | | | | |
| Melamine pads | | | | |
| Melamine pad, Grey/white, 508 mm, 2 x | 29 | 6.371-025.0 | White melamine disc pad for intermediate and deep cleaning of microporous surfaces, as well as fine stone and other hard floor coverings. Can also be used for removing grey haze. | |
| OTHER ACCESSORIES SCRUBBER DRIERS | | <u> </u> | | |
| Home Base accessories | | | | |
| Home Base mop holder kit | 30 | 9.753-023.0 | Holder fits on machine for convenient wiping mop storage. | |
| Universal hook kit | 31 | 4.070-075.0 | Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine. | |
| Holder handhold grey | 32 | 6.980-078.0 | Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0 | . 🗆 |
| Bottle holder | 33 | 6.980-080.0 | Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0. | |
| Home Base Box Kit | 34 | 4.035-406.0 | The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc. | |
| Home Base adapter | 35 | 5.035-488.0 | Fastener for various hooks and clips on the machine. | |
| Double hook | 36 | 6.980-077.0 | Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0. | |
| Holder for squeegee | 37 | 9.753-088.0 | Holder for squeegee: The steel holder is attached to the Home Base rail of the scrubber drier and allows the safe storage and transportation of the squeegee. | |
| Dosing aids | | | | |
| DS 3 Cleaning Agent Dosing Station | 38 | 2.641-811.0 | After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717). | |
| Miscellaneous | • | | | |
| Filling hose | 39 | 6.680-124.0 | 1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps. | |
| KITS | | | | |
| Other attachment kits | | | | |
| ABS drain hose ball valve | 40 | 2.643-986.0 | Drain hose for metered draining of dirty water from the tanks in our BD 50/50 C Classic and BD 50/60 C Classic scrubber driers. Water flow regulation using a ball valve. | |
| Attachment kit stacked bumper roller squeegee | 41 | 4.035-619.0 | Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet. | |
| Suction hose accessories | 42 | 4.444-015.0 | For vacuuming water out of corners or containers (e.g. freezers). | |
| | | 1 | I . | |

☐ Available accessories.



@famco_group



ACCESSORIES FOR BD 50/50 C CLASSIC BP PACK 80AH 1.127-026.0





| | | Order no. | Description | |
|------------------------------------|----|-------------|--|--|
| SPRAY EXTRACTION MACHINES | | | | |
| Other | | | | |
| Cleaning agent container, complete | 43 | 4.070-006.0 | Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail. | |
| SPRAY UNITS | | | | |
| Pump spray bottle | 44 | 6.394-409.0 | 1-litre pump spray bottle – including pump and pressure tank – easy, uniform spraying for cleaning or crystallising. | |

[☐] Available accessories.