

Pressure Washer Series

SPC SPC TRADING COMPANY
www.spc-trading.com



LT-8.7/12E



LT-8.7/12A



LT-8.7/12D



LT-8.7/12C

Standard features

- Performance-approved OHV engine
- Engine with low oil protection
- 8m high-pressure hose
- Quick connect nozzles 0°, 25°, 40° and chemical nozzle
- Low pressure detergent injector
- Professional trigger gun with safety lock
- 10 inches pneumatic wheels

- In-line water filter
- Convenient hose and gun hook
- Thermal relief valve

Optionals

- Adjustable chemical injector
- Water in-let hose connector

Model	LT-8.7/12D	LT-8.7/12A	LT-8.7/12C	LT-8.7/12E
Pump Model	LT3WZ-1200A	LT3WZ-1200A	LT3WZ-1200A	LT3WZ-1200A
Max. Pressure (PSI/bar)	1600/112	2200/154	2200/154	2200/154
Flow (gpm/lpm)	1.6/6.0	2.0/7.5	2.0/7.5	2.0/7.5
Power	2.4HP	5.5HP	5.5HP	5.5HP
R.P.M.	3400	3400	3400	3400
Dimensions (cm)	49.5x39.5x56	59x52x61	82.5x64.5x59	55x55x63

Pressure Washer Series

SPC SPC TRADING COMPANY
www.spc-trading.com



LT-8.7/18M

Standard features

- Motor with aluminium casing
- Commercial grade direct drive brass cylinder ceramic plungers radial direction pump
- 8m high-pressure hose
- Quick connect nozzles 0°, 15°, 40° and chemical nozzle
- Pressure adjustable
- Low pressure detergent injector
- Professional trigger gun with safety lock
- 10 inches pneumatic wheels

- In-line water filter
- Convenient hose and gun hook

Optionals

- Custom-made motor Voltage and Frequency
- Thermal relief valve
- Adjustable chemical injector
- Pressure gauge
- Out-returning unloader
- Protection box
- Water in-let hose connector

Model	LT-8.7/18M-1	LT-8.7/18M-2	LT-18/20M-1	LT-18/20M-2	LT-18/20M-3	LT-18/20M-4
Pump Model	LT3WZ-1510A	LT3WZ-1510A	LT3WZ-1810A	LT3WZ-1810A	LT3WZ-1808A	LT3WZ-1810A
Max.Pressure (PSI/bar)	2200/154	2600/182	2400/168	2600/182	2800/196	3400/238
Flow (gpm/lpm)	1.7/6.4	2.1/8.1	2.2/8.3	2.3/8.7	2.8/10.5	3.2/12.1
Power	3.7kW / 4kW	3.7kW / 4kW	5.5kW	7.5kW	5.5kW	7.5kW
R.P.M.	1450	2800	1450	1450	2800	2800
Dimensions (cm)	72.5x54x54	72.5x54x54	88x63x55	88x63x55	88x63x55	88x63x55

Pressure Washer Series

SPC SPC TRADING COMPANY
www.spc-trading.com



LT-390



LT-8.7/16M

Standard features

- Performance-approved electric motor
- Motor with aluminium casing
- 8m high-pressure hose
- Quick connect nozzles 0°, 15°, 40° and chemical nozzle
- Pressure adjustable
- Low pressure detergent injector
- Professional trigger gun with safety lock
- In-line water filter

- Electrical wire with plug
- Plastic protection casing

Optionals

- Custom-made motor Voltage and Frequency
- Adjustable chemical injector
- Pressure gauge
- Water in-let hose connector

Model	LT-390	LT-8.7/16M
Pump Model	LT3WZ-1200A	LT3WZ-2525A
Max.Pressure (PSI/bar)	1200/84	2000/140
Flow (gpm/lpm)	1.9/7.3	1.9/7.3
Power	1.6KW	2.2KW
R.P.M.	2800	2800
Dimensions (cm)	58.5x45.5x40.5	58.5x45.5x40.5

-15-

Pressure Washer Series


SPC SPC TRADING COMPANY
www.spc-trading.com



LT-8.7/16C



LT-8.7/16C



LT-8.7/16D

Standard features

- Performance-approved OHV engine
- Engine with low oil protection
- 8m high-pressure hose
- Quick connect nozzles 0°, 25°, 40° and chemical nozzle
- Low pressure detergent injector
- Professional trigger gun with safety lock
- 10 inches pneumatic wheels

- In-line water filter
- Convenient hose and gun hook
- Thermal relief valve

Optionals

- Adjustable chemical injector
- Water in-let hose connector

Model	LT-8.7/16C	LT-8.7/16D
Pump Model	LT3WZ-1600C	LT3WZ-1600D
Max.Pressure (PSI/bar)	2750/192	2200/154
Flow (gpm/lpm)	2.3/8.7	2.2/8.3
Power	6.0HP	5.5HP
R.P.M.	3400	3400
Dimensions (cm)	55x55x63	55x55x63